



FIG. 1



000290" 58856560

FIG. 2



000290-58856560




FIG. 3

FIG. 4






FIG. 5



000290" 58856560



000290"58856560

FIG. 7





FIG. 9




000290" 58856560

FIG. 10

JOB-IDENTIFIABLE ID
PHYSICAL PAGE NUMBER FOR THIS PRINT PAGE
THE NUMBER n OF PHYSICAL PAGE, WHICH IS ALLOCATED FOR PHYSICAL PAGES
THE FIRST PHYSICAL PAGE NUMBER
:
THE n -TH PHYSICAL PAGE NUMBER
TOTAL NUMBER OF PAGES PER SHEET FOR THIS JOB

FIG. 11



000290" 58856560

FIG. 12

FLAG FOR SETTING DOUBLE-SIDES PRINTING
FORM SIZE
VALID PRINTING AREA X
VALID PRINTING AREA Y
FLAG FOR PREVIEWING OR NOT PREVIEWING
THE NUMBER OF PHYSICAL PAGES TO BE ARRANGED IN ONE PHYSICAL PAGE
OTHER SETTINGS

000290" 58856560

0000000000000000

FLAG FOR PUNCHED HOLES OR NO PUNCHED HOLES
FLAG FOR STAPLING OR NOT STAPLING
INFORMATION ON PUNCHED-HOLE POSITIONS
INFORMATION ON PUNCHED-HOLE SIZES
:
INFORMATION ON STAPLING POSITIONS
INFORMATION ON STAPLE SIZE
OTHER DEVICE-SETTINGS

FIG. 14






FIG. 15



000290" 58856560

FIG. 16



000290" 58856560

FIG. 17

000290" 58855560

DISPLAY SETTING FOR DOUBLE-SIDES PRINTING

☐ DISPLAY ALL PAGES

☒ DISPLAY ONLY OBVERSE FACE

☒ PERSPECTIVE PREVIEW FOR REVERSE FACES

☒ ARRANGE ODD PAGES TO BE REVERSE FACES

OK CANCEL

FIG. 18A




FIG. 18D




FIG. 18B




FIG. 18E





FIG. 18C




000290" 58856560

FIG. 19

	PERSPECTIVE PREVIEW FOR REVERSE FACE : ON	PERSPECTIVE PREVIEW FOR REVERSE FACE : OFF
ODD PAGE TO BE OBVERSE FACE : ON	FIG. 18D	FIG. 18B
ODD PAGE TO BE OBVERSE FACE : OFF	FIG. 18E	FIG. 18C


000290" 5885560

FIG. 20




00290" 58856560

FIG. 21




000290" 588556560

FIG. 22




000290" 58856560

FIG. 23



000290" 58856560

FIG. 24



000290"58856560


FIG. 25

ADJUST REVERSE-FACE DENSITY ? ×

▲ ▼ %

000290" 58856560

FIG. 26



000250" 58856560

FIG. 27

INFORMATION	DETAILS	SET PAGE	FINISH	PAPER FEED	PRINT QUALITY	SELECT DEVICE
-------------	---------	----------	--------	------------	---------------	---------------

FAVORITES (F) : STANDARD

PRINTING DIRECTION :

2701

☐ SINGLE-SIDE PRINTING (I)

☒ DOUBLE-SIDES PRINTING (Z)

☐ BINDING PRINTING (B)

☐ INNER BINDING (I)

BINDING DIRECTION (L) :

2704

LONG-SIDE BINDING (UPPER) ▼

EJECTING METHOD :

☐ SORT (C)

☐ GROUP (U)

☒ STAPLE (T)

☐ ROTATE (K)

2702

2703

☐ SPECIFY STAPLING POSITION (W) ...

2704

2705

☐ SPECIFY BINDING MARGINS (G) ...

2706

2707

☐ SPECIFY STAPLING POSITION (W) ...

2708

2709

☐ RETURN TO STANDARD (R)

PROCESSING OPTION (V) ...

RETURN TO STANDARD (R)

OK

UPDATE (A)

HELP

2705 2706 2707

FIG. 28

?

X

INFORMATION

DETAILS


SET PAGE

FINISH

PAPER FEED

PRINT QUALITY

SELECT DEVICE



MANUAL SPECIFICATION

FORM-FEED OPTIONS :

☐ 2-STAGE CASSETTE PEDESTALS (2)
 ☐ SIDE DECK (S)
 ☐ 4-STAGE CASSETTE PEDESTALS (4)

EJECTION OPTIONS (Q) :

SADDLE FINISHER · C2

LIPS EXPANSION MEMORY (M) :

32MB

☒ USE MAILBOX (X)

INNER-SPOOL PROCESSING (P) :

AUTOMATIC

SPECIFY FONT (F) ...

FORM-FEEDING METHOD AND FORM ALLOCATION (T) ...

GAIN DEVICE INFORMATION (G)

OK

CANCEL

UPDATE (A)

HELP

2801

FIG. 29

?

X

JOE EDIT

JOE1.DOC

2901

NUMBER OF SHEETS : 8

JOE1-1

1

JOE1-2

2

JOE1-3

3

JOE1-4

4

JOE1-5

5

JOE1-6

6

JOE1-7

7

JOE1-8

8

2902

2903

2904

OBJECT-JOB LIST

SETTINGS FOR PRINTING

NO. OF COPIES (C) :

1

COPIES (1 ~ 255)

PRINTING METHOD :

SINGLE-SIDE PRINTING

2905

☐ STAPLE
 ☐ INNER BINDING (I)

☒ UNIFORMED LAYOUT

PAGE LAYOUT (L) :

1 PAGE / SHEET

2906

PLACEMENT ORDER (X) :

☐ STEALING SETTINGS :

2907

DETAILED SETTINGS ...

RETURN TO ORIGINAL STATE

OK

CANCEL

HELP

FIG. 30

?

X

LINKED JOB NAME:

NUMBER OF SHEETS · 4

JOB1-1

JOB1-2

JOB1-3

JOB1-4

JOB1-5

JOB1-6

JOB1-7

1

2

3

DELETE PAGE

PREVIEW

OBJECT-JOB LIST

SETTINGS FOR PRINTING

NO. OF COPIES (C) :

1

COPIES (1 ~ 255)

PRINTING METHOD :

DOUBLE-SIDES PRINTING

☐

STAPLE

☐

INNER BINDING (I)

☒

UNIFORMED LAYOUT

PAGE LAYOUT (L) :

1 PAGE / SHEET

PLACEMENT ORDER (X) :

☐

STEALING SETTINGS :

DETAILED SETTINGS ...

RETURN TO ORIGINAL STATE

OK

CANCEL

HELP

FIG. 31

?

X

JOB EDIT

LINKED JOB NAME

JOB1.DOC

NUMBER OF SHEETS : 2

JOB1-1

JOB1-2

JOB1-3

JOB1-4

JOB1-5

JOB1-6

JOB1-7

1

2

DELETE PAGE

PREVIEW

OBJECT-JOB LIST

SETTINGS FOR PRINTING

NO. OF COPIES (C) :

1

COPIES (1 ~ 255)

PRINTING METHOD :

DOUBLE-SIDES PRINTING

☐

☐ STAPLE

☐ INNER BINDING (I)

☒ UNIFORMED LAYOUT

PAGE LAYOUT (L) :

2 PAGES / SHEET

PLACEMENT ORDER (X) :

FROM LEFT TO RIGHT

☐ STEALING SETTINGS :

DETAILED SETTINGS ...

RETURN TO ORIGINAL STATE

OK

CANCEL

HELP

FIG. 32

JOB EDIT

?

X

LINKED JOB NAME

JOB1.DOC

NUMBER OF SHEETS : 2

JOB1-1

JOB1-2

JOB1-3

JOB1-5

JOB1-6

JOB1-7

JOB1-8

1

2

◀

▶

DELETE PAGE

PREVIEW

OBJECT-JOB LIST

SETTINGS FOR PRINTING

NO. OF COPIES (C) :

1

 COPIES (1 ~ 255)

PRINTING METHOD :

DOUBLE-SIDES PRINTING

☐

 STAPLE

☐

 INNER BINDING (I)

☒ UNIFORMED LAYOUT

PAGE LAYOUT (L) :

2 PAGES / SHEET

PLACEMENT ORDER (X) :

FROM LEFT TO RIGHT

☐ STEALING SETTINGS :

DETAILED SETTINGS ...

RETURN TO ORIGINAL STATE

OK

CANCEL

HELP